

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	320	(regex or (regular near expression\$1)) with address \$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L3	9	L2 same (discover\$3 or find \$3 or locat\$3 or obtain\$3) near address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L4	0	L3 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L5	15	L2 same (discover\$3 or find \$3 or locat\$3 or obtain\$3) near2 address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L6	4	L5 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L7	30	L2 same file\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L8	14	L7 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L9	2	L2 same (recogniz\$6 near2 (address\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L10	2	L9 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37

L11	258	address\$3 with (recogniz\$6 near2 (format\$4 or syntax))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L12	9	L11 same (printer\$1 or peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L13	7	L12 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L14	9977	address\$3 near (format\$4 or syntax)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L15	29	L14 near recogniz\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L16	24	L15 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L17	38	L14 and (pars\$3 near file\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L18	33	L17 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L19	5	webpage\$1 with list\$3 with (peripheral\$1 or printer\$1)	US-PGPUB; USPAT	OR	OFF	2009/07/13 10:37
L20	0	L19 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L21	7	webpage\$1 same list\$3 with (peripheral\$1 or printer\$1)	US-PGPUB; USPAT	OR	OFF	2009/07/13 10:37

L22	2	L21 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L23	7	webpage\$1 same list\$3 with address\$3 with (peripheral\$1 or printer\$1 or device\$1)	US-PGPUB; USPAT	OR	OFF	2009/07/13 10:37
L24	1	L23 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L25	22	(director\$3 or list\$4) with address\$3 with (peripheral\$1 or printer\$1) same url	US-PGPUB; USPAT	OR	OFF	2009/07/13 10:37
L26	17	L25 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L27	58	printer near (director\$3 or listing\$1) same (webpage or URL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L28	57	L27 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L29	5	(peripheral\$1 or printer\$1) near (directory or directories or listing\$1) same (webpage or URL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L30	4	L29 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
L31	4	(L4 L6 L8 L10 L13 L16 L18 L20 L22 L24 L26 L28 L30) and @p> "20090203"	US-PGPUB; USPAT	OR	OFF	2009/07/13 10:37
S1	1802	server with (peripherals)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:57

S2	4	S1 same (peripheral near2 address\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:58
S3	886	709/248.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:52
S4	2183	709/245.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:52
S5	57	(remote or networked) near printer and print\$2 near server with address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:53
S6	10	S5 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:53
S7	10	("20020057449" "20020062366" "20020099814" "6020973" "6219151").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 15:05
S8	588	(find\$3 or obtain\$3 or locat \$3) near address\$2 with (peripheral or printer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 15:10
S9	68	S8 same server\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 15:11
S10	12	S9 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 15:11
S11	58	discover\$3 with address\$3 near2 (printer\$1 or peripheral \$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 15:22

S12	12	S11 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 15:22
S13	1	"20050071507".pn.	US-PGPUB; USPAT	OR	OFF	2008/03/03 16:22
S14	1	"20050071507".pn.	US-PGPUB; USPAT	OR	OFF	2008/03/12 09:18
S15	25	file with ((list or directory) near2 printers)	US-PGPUB; USPAT	OR	OFF	2008/03/12 09:21
S16	3	S15 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:21
S17	63	(remote or networked) near printer and print\$2 near server with address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 17:12
S18	625	(find\$3 or obtain\$3 or locat \$3) near address\$2 with (peripheral or printer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 17:12
S19	77	S18 same server\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 17:12
S20	28	file with ((list or directory) near2 printers)	US-PGPUB; USPAT	OR	OFF	2008/09/15 17:12
S21	123	(S17 S19 S20) and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2008/09/15 17:12
S22	969	709/248.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 17:46
S23	2319	709/245.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 17:46
S24	219	(S22 S23) and @pd>"20080301"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 17:46

S25	68	discover\$3 with address\$3 near2 (printer\$1 or peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:55
S26	277	(regex or (regular near expression\$1)) with address\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:55
S27	8	S26 same (discover\$3 or find\$3 or locat\$3 or obtain\$3) near address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:56
S28	72789	"L8" and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:57
S29	0	S27 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:57
S30	14	S26 same (discover\$3 or find\$3 or locat\$3 or obtain\$3) near2 address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:57
S31	4	S30 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:57
S32	0	S26 same (printer\$1 or peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:59
S33	28	S26 same file\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:00
S34	14	S33 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:00

S35	0	S26 same (recogniz\$6 near2 (format\$4 or syntax))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:01
S36	2	S26 same (recogniz\$6 near2 (address\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:02
S37	2	S36 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:02
S38	245	address\$3 with (recogniz\$6 near2 (format\$4 or syntax))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:02
S39	9	S38 same (printer\$1 or peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:03
S40	7	S39 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:03
S41	9546	address\$3 near (format\$4 or syntax)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:04
S42	0	S41 near recogniz\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:05
S43	29	S41 near recogni\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:05
S44	24	S43 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:06

S45	0	S44 and pars\$3 near file\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:06
S46	0	S41 same (pars\$3 near file \$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:07
S47	35	S41 and (pars\$3 near file\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:07
S48	30	S47 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:07
S49	2	"20070219853".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 17:07
S50	5	webpage\$1 with list\$3 with (peripheral\$1 or printer\$1)	US-PGPUB; USPAT	OR	OFF	2009/02/03 17:58
S51	0	S50 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 17:58
S52	7	webpage\$1 same list\$3 with (peripheral\$1 or printer\$1)	US-PGPUB; USPAT	OR	OFF	2009/02/03 17:59
S53	2	S52 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 17:59
S54	7	webpage\$1 same list\$3 with address\$3 with (peripheral\$1 or printer\$1 or device\$1)	US-PGPUB; USPAT	OR	OFF	2009/02/03 18:00
S55	1	S54 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:00
S56	24	webpage\$1 with list\$3 near2 address\$3	US-PGPUB; USPAT	OR	OFF	2009/02/03 18:02
S57	10464	(director\$3 or list\$4) with address\$3 with (peripheral\$1 or printer\$1 or device\$1)	US-PGPUB; USPAT	OR	OFF	2009/02/03 18:07

S58	21	(director\$3 or list\$4) with address\$3 with (peripheral\$1 or printer\$1) same url	US-PGPUB; USPAT	OR	OFF	2009/02/03 18:07
S59	16	S58 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:07
S60	58	printer near (director\$3 or listing\$1) same (webpage or URL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:15
S61	57	S60 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:15
S62	1	printer near (directory or directories or listing\$1) same (webpage or URL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:15
S63	5	(peripheral\$1 or printer\$1) near (directory or directories or listing\$1) same (webpage or URL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:16
S64	4	S63 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:16

7/13/09 10:54:44 AM

C:\Documents and Settings\dblair\My Documents\ EAST\ workspaces\ 10676272.wsp